

PAINT INDUSTRIES PTY LTD
 61 Lionel Street NAVAL BASE WA 6165 Telephone: (08)9437 1488 Fax: (08) 9410 2395
 EMERGENCY Telephone No: (08) 9341 8771

Material Safety Data Sheet

Date of Issue 31/01/2009

Not Classified as Hazardous according to criteria of Worksafe Australia

IDENTIFICATION

N/A' = Not Allocated

Product Name: **TOP DEK GYPSEAL**

Other Names:

Manufacturer's Product Code: **0025**

UN Number: **1263**

Dangerous Goods Class & Subsidiary Risk: **N/A**

Hazchem Code: **N/A**

Poisons Schedule Number: **N/A**

Use: **A FLAT WATER BASED COATING FOR PAPER FACED PLASTERBOARD**

Physical Description/Properties

Appearance: **White Liquid**

Boiling Point/Melting Point: **100 deg C.**

Vapour Pressure: **17.5 (water) mm Hg @ 25 deg C.**

Specific Gravity: **1.41 kg/l**

Flashpoint: **N/A deg C.**

Flammability Limits: **Not flammable**

Solubility in Water: **Dilutable**

Other Properties:

Percentage Volatiles: **51.1**

Ingredients

Chemical Name:	CAS Number:	Proportion:
Silicate Extender	1317-65-3	(Med 10-60%)
Vinyl Acrylic Latex	Not Known	(Med 10-60%)
Calcium Carbonate	1317-65-3	(Med 10-60%)
Water	Not Applicable	(Med 10-60%)
Non-Toxic additives	Not Applicable	(Low <10%)

HEALTH HAZARD INFORMATION

Health Effects:

Acute:

Swallowed: **Slightly irritating. May affect digestive tract when swallowed in volume**

Eye: **Slightly irritating. May affect eyes with prolonged exposure.**

Skin: **Slightly irritating. May affect skin on prolonged contact.**

Inhaled: **Slightly irritating. May cause nausea on prolonged contact.**

Chronic:

First Aid

Swallowed: **If swallowed contact a Doctor or Poisons Information Service. Do not induce vomiting. Give water to drink & seek medical advice.**

Eye: **Gently flush with running water, holding eyelids open for 15mins. Seek medical attention.**

Skin: **Wash affected area immediately with soap & water.**

Inhaled: **Water based - Not Applicable**

First Aid Facilities:

Advice to Doctor:

Treat Symptomatically

PAINT INDUSTRIES PTY LTD
61 Lionel Street NAVAL BASE WA 6165 Telephone: (08)9437 1488 Fax: (08) 9410 2395
EMERGENCY Telephone No: (08) 9341 8771

Material Safety Data Sheet

Not Classified as Hazardous according to criteria of Worksafe Australia

PRECAUTIONS FOR USE

Exposure Standards: **Not applicable**

Engineering Controls: **No special ventilation requirements.**

Personal Protection: **Normal site protection. Observe good industrial hygiene.**
Flammability: **Not applicable.**

SAFE HANDLING INFORMATION

Storage and Transport: **Store in a cool, dry place; out of reach of children**

Spills and Disposal: **Do not allow large spills to enter drains or sewers. Inform Police if this occurs. Absorb spilt product onto sand or earth & dispose to land fill.**

Fire/Explosion Hazard: **Not applicable.**

OTHER INFORMATION:

This product is free from any major hazard

CONTACT POINT:

Manager (08) 9437 1488

All rights reserved (including those of translation into other Languages). No part of this Material Safety Data Sheet may be reproduced in any form - by photoprint, microfilm or any other means - not transmitted into a machine language without written permission from Paint Industries. Registered names, trademarks, etc used in the Material Safety Data Sheet even when not specifically marked as such, are not considered unprotected by law.

==

