

PAINT INDUSTRIES PTY LTD
 61 Lionel Street NAVAL BASE WA 6165 Telephone: (08) 9437 1488 Fax: (08) 9410 2395
 EMERGENCY Telephone No: (08) 9341 8771

Material Safety Data Sheet

DATE OF ISSUE 31/01/2009

Not Classified as Hazardous according to criteria of Worksafe Australia

IDENTIFICATION

N/A' = Not Allocated

Product Name: **MASTERPIECE SINGLE STEP STAINED VARNISH**
 Other Names: **SINGLE STEP**
 Manufacturer's Product Code: **7070-7081**
 UN Number: **1263**
 Dangerous Goods Class & Subsidiary Risk: **3.2**
 Hazchem Code: **3(y)E**
 Poisons Schedule Number: **N/A**
 Use: **For Use As a Stained Varnish on Bare Timber in Gloss or Satin**

Physical Description/Properties

Appearance: **Amber Viscous Liquid**
 Boiling Point/Melting Point: **147 deg C**
 Vapour Pressure: **0/8 kPa mm Hg @ 25 deg C**
 Specific Gravity: **0.90 kg/l**
 Flashpoint: **32 deg C**
 Flammability Limits: **N/A**
 Solubility in Water: **Insoluble**

Other Properties:

Percentage Volatilise: **49.4**

Ingredients

Chemical Name:	CAS Number:	Proportion:
Polyurethane Resin	Proprietary	(High 60-100%)
Hydrocarbon Solvent	8052-41-3	(Med 10-60%)

HEALTH HAZARD INFORMATION

Health Effects:

Acute:

Swallowed: **Slightly irritating. May affect digestive tract when swallowed in volume**
 Eye: **Irritating. Will affect eyes with possible long term damage.**
 Skin: **Irritating. Will affect skin on prolonged contact.**
 Inhaled: **Harmful. May cause weakness and dizziness. High doses can produce central nervous system depression.**

Chronic:

First Aid

Swallowed: **If swallowed contact a Doctor or Poisons Information Service. Do not induce vomiting. Give water to drink & seek medical advice.**

Eye: **Gently flush with running water, holding eyelids open for 15mins. Seek medical attention.**

Skin: **Remove contaminated clothing and gently flush affected areas with soap & water. Seek medical attention if irritation develops. Launder clothing before re-use.**

Inhaled: **Remove patient from exposure, into fresh air. Apply artificial respiration if patient has stopped breathing. Seek medical attention.**

First Aid Facilities:

Advice to Doctor:

Treat Symptomatically

PAINT INDUSTRIES PTY LTD
61 Lionel Street NAVAL BASE WA 6165 Telephone: (08)9437 1488 Fax: (08) 9410 2395
EMERGENCY Telephone No: (08) 9341 8771

Material Safety Data Sheet

Not Classified as Hazardous according to criteria of Worksafe Australia

PRECAUTIONS FOR USE

Exposure Standards: **100 ppm for hydrocarbon solvent.**

Ventilation: **In confined, poorly ventilated areas, use mechanical extraction ventilation (explosion proof).**

Personal Protection:
Flammability: **Overalls, goggles, PVC gloves and organic vapour respirator. Flammable liquid. Vapour may form explosive mixtures with air. Vapour may ignite on pumping or pouring due to static electricity. Keep away from sources of ignition.**

SAFE HANDLING INFORMATION

Storage and Transport: **Keep containers tightly sealed. Keep away from sources of ignition.**

Spills and Disposal **Do not allow large spills to enter drains or sewers. Inform Police if this occurs. Absorb spilt product onto sand or earth & dispose to land fill. Wear PVC gloves, goggles and suitable respirator. Keep sources of ignition away.**

Fire/Explosion Hazard: **Call Fire Brigade. Keep this MSDS handy. Use vapourizing liquid, dry chemical, carbon dioxide or alcohol foam extinguisher. Prevent runoff from entering drains.**

OTHER INFORMATION:

CONTACT POINT:

Manager (08) 9437 1488
