

PAINT INDUSTRIES PTY LTD

61 Lionel Street NAVAL BASE WA 6165 Telephone: (08)9437 1488 Fax: (08) 9410 2395

EMERGENCY Telephone No: (08) 9341 8771**Material Safety Data Sheet**

Date of Issue 31/01/2009

Not Classified as Hazardous according to criteria of Worksafe Australia**IDENTIFICATION**

N/A' = Not Applicable

Product Name: **STERISEAL**

Other Names:

Manufacturer's Product Code: **8000**

UN Number: **N/A**

Dangerous Goods Class & Subsidiary Risk: **N/A**

Hazchem Code: **N/A**

Poisons Schedule Number: **Not Applicable**

Use: **An aqueous and sterilising sealer for 1st coat onto cement roof tiles**

Physical Description/Properties

Appearance: **Milky liquid**

Boiling Point/Melting Point: **100 deg C**

Vapour Pressure: **17.5 (water) mm Hg @ 25 deg C.**

Specific Gravity: **1.056gm/lt**

Flashpoint: **N/A deg C.**

Flammability Limits:

Other Properties:

Percentage Volatiles **61**

Ingredients

Chemical Name:	CAS Number:	Proportion:
Fungicide		(Low <10%)
100% Acrylic Emulsion	Proprietary	(High 60-100%)

HEALTH HAZARD INFORMATION**Health Effects:**

Acute:

Swallowed: **Slightly irritating. May affect digestive tract when swallowed in volume.**

Eye: **Slightly irritating. May affect eyes with prolonged exposure.**

Skin: **Slightly irritating. May affect skin on prolonged contact.**

Inhaled: **Slightly irritating. May cause nausea on prolonged contact.**

*Chronic:***First Aid**

Swallowed: **If swallowed contact a Doctor or poisons information service. Do not induce vomiting. Give water to drink & seek medical advice.**

Eye: **Gently flush with running water, holding eyelids open for 15mins. Seek medical attention.**

Skin: **Wash affected area immediately with soap and water.**

Inhaled: **Water based - not applicable.**

First Aid Facilities:

Advice to Doctor:**Treat Symptomatically**

Material Safety Data Sheet

Not Classified as Hazardous according to criteria of Worksafe Australia

PRECAUTIONS FOR USE

Exposure Standards:	Based on toxicity profiles for a number of acrylic emulsions, typical Oral Data is: ORAL LD50-RAT:>5000MG/KG
Engineering Controls:	In confined, poorly ventilated areas, use mechanical extraction ventilation.
Personal Protection:	Normal site protection plus overalls & safety glasses. Observe good industrial hygiene.
Flammability:	Not Applicable.

SAFE HANDLING INFORMATION

Storage and Transport:	Store in a cool, dry place; out of reach of children
Spills and Disposal	Do not allow large spills to enter drains or sewers. Inform Police if this occurs. Absorb spilt product onto sand or earth & dispose to land fill.
Fire/Explosion Hazard:	Not Applicable.

OTHER INFORMATION:

CONTACT POINT:

Manager - (08) 9437 1488